



## Flame Resistance Durable PVC Decorative Film Length 100m-400m

### Our Product Introduction

for more products please visit us on [realsundeco.com](http://realsundeco.com)

#### Basic Information

- Place of Origin: Foshan, China
- Brand Name: Realsun Deco
- Minimum Order Quantity: 3000m
- Price: Negotiable
- Packaging Details: Pack in roll
- Delivery Time: 15-20 days
- Payment Terms: T/T 30% down payment, 70% balance before shipment
- Supply Ability: 500000m/month



#### Product Specification

- Service: OEM, ODM
- MOQ: 3000m/model
- Material: PVC
- Surface: Glossy/ Matt/ Embossed/ Super Matt/ Soft Touch
- Thickness: 0.10mm-0.50mm
- Application: Furniture/ Cabinet/ Door/ Wall/ Ceiling/ Floor
- Feature: Non-toxic/ Anti-Flame/ Moisture-proof
- Width: 1260mm, 1400mm
- Highlight: **flame resistance pvc interior film,**  
**flame resistance pvc decorative film,**  
**PVC Decorative Film 100m**

## Product Description

Durable PVC Decorative Film for Furniture - Length 100m-400m

### Product Description:

Our Pvc Foil

Our pvc foil is primarily made from Polyvinyl Chloride (PVC), a synthetic plastic material known for its durability, flexibility, and ease of processing.

It is available in a wide range of colors, patterns, and textures, allowing it to mimic the look of natural materials like wood, stone, fabric, or metal. This provides a cost-effective alternative to these materials while retaining a high-quality aesthetic.

Our foil can be applied to a wide variety of surfaces, including doors, cabinets, furniture, walls, and more. With its durability and adhesive, it is often used in high-traffic locations. What's more, it requires very little upkeep, simply needing to be wiped down with a moist cloth once a week.

In addition, our pvc foil offers a great cost-effective option as compared to natural materials- it enables you to create upscale aesthetics without incurring the related expenses. Moreover, it is possible to modify the foil to different styles and finishes with ease, allowing for various project specifications and design preferences.

Commonly used in both residential and commercial settings, decorative pvc foil is perfect for kitchen and bathroom cabinets, interior doors, wall paneling, furniture surfaces, retail displays, and more.

### Technical Parameters:

The thickness of our products can vary from 0.1mm up to 0.5mm. We provide two options for width, 1260mm and 1400mm. The length of the products is offered in a range from 100m to 400m per roll. Customers can also choose from a variety of designs, including wood grain, solid color, marble, brick and many more. In terms of surface treatment, we provide matt, super matt, embossed, high gloss and soft touch. Moreover, we offer both OEM and ODM services.

### Applications:

Different Process Methods for Different Applications

#### 1. Membrane Press(vacuum press)

This is an especially useful for covering HDF, particle board, wooden boards, fiberboard, etc. It is suitable for items such as doors, kitchen cabinets, wardrobes, furniture, etc. Membrane press also allows for the covering of embossed boards while simultaneously covering five surfaces.

The parameters for the membrane press: thickness of 0.20-0.50mm, width of 1260mm/1400mm and length of 100-300m/roll.

#### 2. Wrapping Profiles

This method is perfect for covering all kinds of profiles, such as wood, aluminium, and PVC among others. These profiles are commonly used for items such as door frames, window sills, base channels, PVC ceilings and many more.

The parameters for the wrapping profiles: thickness of 0.12-0.18mm, width of 40mm-1260mm and length of 300-800m/roll.

#### 3. Cold Laminating

This process is great for covering flat panels such as wood, steel, aluminium, and PVC. It is often used for doors and furniture.

The parameters for the cold laminating: thickness of 0.12-0.20mm, width of 1240-1260mm and length of 300-500m/roll.

#### 4. Hot Laminating

This process is effective in covering PVC panels, steel panels and aluminium panels mainly for use on doors and skirting.

The parameters for the hot laminating: thickness of 0.16-0.30mm, width of 1260mm and length of 200-300m/roll.

#### 5. Self-Adhesive

This is a well-suited solution for sticking onto any smooth surface for furniture and interior decorations.

The parameters for the self-adhesive are thickness of 0.10-0.20mm, width of 600mm/1220mm and length of 5-50m/roll.

### Customization:

Customized PVC Decorative Film

Realsun Deco offers high quality and durable **Vinyl Decorative Film, Polyvinyl Chloride Sheet, Polyvinyl Chloride Film, PVC Decorative Film** at the most competitive prices. Our products can be customized according to your requirements.

Brand Name: Realsun Deco

Place of Origin: Foshan, China

Minimum Order Quantity: 3000m

Price: Negotiable

Packaging Details: Pack in roll

Delivery Time: 15-20 days

Payment Terms: T/T 30% down payment, 70% balance before shipment

Supply Ability: 500000m/month

Feature: Non-toxic/ Anti-Flame/ Moisture-proof

Usage: Lamination, Wrapping Machine, Vacuum Membrane Press

Service: OEM, ODM  
Packing: Pack In Roll  
Design: Wood Grain, Marble, Brick, Stone And So On

### Support and Services:

PVC Decorative Film Technical Support and Services

We offer technical support and services to our customers when they purchase PVC Decorative Film. Our technical support and services include:

Installation and maintenance advice for PVC Decorative Film.

Product customization and modifications.

Advice on product selection and application.

Free samples for product testing.

Replacement service for defective products.

24/7 Technical Support.

### Packing and Shipping:

PVC Decorative Film Packaging and Shipping:

The PVC Decorative Film is packaged in single rolls wrapped with kraft paper and plastic film, then labeled with the product name and other necessary information for shipment. We also offer loaded onto a pallet, shrink-wrapped if necessary, and ready for transportation.



**Foshan Realsun Decorative Material Co., Ltd.**



+8613790066054



sale1@realsundeco.com



realsundeco.com

Room 706, Build 1, No 121 North of Lingnan Avenue, Foshan, China