Vacuum Membrane Press PVC Interior Film OEM Service 1260mm Width

Basic Information

• Place of Origin: Foshan, China • Brand Name: Realsun Deco 3000m

Minimum Order

Quantity:

• Price: Negotiable · Packaging Details: Pack in roll

• Delivery Time: 15-20 days

• Payment Terms: T/T 30% down payment, 70% balance before

shipment

500000m/month • Supply Ability:



Product Specification

100-400m/roll · Length:

• Surface: Glossy, Matte, Embossed, Supper Matt, Soft

Touch Etc.

• Design: Wood Grain, Marble, Brick, Stone, And So

 Usage For Production Lamination, Vacuum Membrane Press, Hot

Process: Press, Wrapping And So On

Material: PVC

• Thickness: 0.10mm-0.50mm

• Application: Furniture, Door, Wall, Kitchen Cabinet,

Ceiling Etc.

• Payment Term: T/T, L/C, Etc.

• Highlight: PVC Interior Film OEM,

PVC Interior Film 1260mm,

Product Description

0.14mm Thickness deep Embossed Wood Grain Design Wrapping Pvc Film For Mdf Profile Decoration

Product Description:

Our *pvc foil* is primarily made from Polyvinyl Chloride (PVC), a synthetic plastic material known for its <u>durability</u>, <u>flexibility</u>, and <u>ease of processing</u>. It is available in a wide range of **colors**, **patterns**, **and textures**, which can mimic the look of natural materials such as wood, stone, fabric, or metal, providing a cost-effective alternative while still retaining a high-quality aesthetic.

This foil can be applied to a variety of surfaces, including doors, cabinets, walls, and more. Its **resilience** to deterioration and strength makes it suitable for use in high-traffic locations. Furthermore, its **maintenance** is simple: it usually just needs to be wiped down once a week with a moist cloth.

One of the biggest benefits of **pvc decorative foil** is that it is very **cost-effective** compared to natural materials. Therefore, it enables the creation of desirable aesthetics without incurring the related expenses. Furthermore, manufacturers can offer a large range of **styles and finishes**, enabling modification to meet project specifications and personal design preferences.

Finally, decortaive pvc foil is commonly used in **residential and commercial settings** for purposes such as kitchen and bathroom cabinets, interior doors, wall paneling, furniture surfaces, retail displays, and more.

Technical Parameters:

We can provide all kinds of PVC film, which is available in a wide range of thickness from 0.1mm to 0.5mm. Its width is up to 1260mm and 1400mm, and it comes in rolls with the length of up to 400 metres. We have a variety of designs for you to choose from, such as wood grain, solid color, marble, brick and more. What's more, the surface can be treated as matt, super matt, embossed, high gloss and soft touch. As for business service, OEM and ODM are both available.

Applications:

Processes for Different Applications

Membrane Press (vacuum press): It covers on MDF, particleboard, wooden board, fiberboard, etc. for doors, kitchen cabinet, wardrobe, furniture, etc. This process covers embossed board and five surfaces at same time. The thickness of product varies from 0.20-0.50mm, width 1260mm to 1400mm and length from 100-300m/roll.

Wrapping Profiles: This process involves covering on all kinds of profiles including wood profile, aluminum profile, PVC profile, etc. for door frame, window sill, base channel, PVC ceiling and so on. The thickness of product varies from 0.12-0.18mm, width 40mm to 1260mm and length 300-800m/roll.

Cold Laminating: This laminating is used on all kinds of flat panels, such as wood panel, steel panel, aluminum panel, PVC panel, etc. for doors and furniture. With this process, the product produced has a thickness 0.12-0.20mm, width 1240mm to 1260mm and length 300-500m/roll.

Hot Laminating: The main purpose of this process is to cover on the PVC panel, steel panel, aluminum panel for doors, skirting and so on. The thickness of product is 0.16-0.30mm, width 1260mm and length 200-300m/roll.

Self-Adhesive: This process is for putting on any smooth surface for furniture and indoor decorations. The product has a thickness of 0.10-0.20mm, width 600mm/1220mm and length 5-50m/roll.

Customization:

Customized Services for PVC Interior Film

Brand Name: Realsun Deco Place of Origin: Foshan, China Minimum Order Quantity: 3000m

Price: Negotiable

Packaging Details: Pack in roll Delivery Time: 15-20 days

Payment Terms: T/T 30% down payment, 70% balance before shipment

Supply Ability: 500000m/month

Design: Wood Grain, Marble, Brick, Stone, and so on

Thickness: 0.10mm-0.50mm

Usage for Production Process: Lamination, Vacuum Membrane Press, Hot Press, Wrapping and so on

ength: 100-400m/rol

Surface: Glossy, Matte, Embossed, Supper Matt, Soft Touch etc.

We are pleased to offer you the best customized services for PVC Interior Film. Our product is white pvc sheet, woodgrain pvc film for furniture, pvc membrane foil. It is produced by Realsun Deco with origin from Foshan, China. The minimum order quantity is 3000m, and the price is negotiable. It is packed in roll, and the delivery time is 15-20 days. The payment terms is T/T 30% down payment, 70% balance before shipment. The supply ability is 500000m/month. The design is wood grain, marble, brick, stone, and so on. The thickness is 0.10mm-0.50mm, and the length is 100-400m/roll. The surface is glossy, matte, embossed, supper matt, soft touch etc. The usage for production process is lamination, vacuum membrane press, hot press, wrapping and so on.

Support and Services:

Our PVC Interior Film products are supported by a team of highly trained and experienced technicians. They provide technical assistance and service on all aspects of the product, including installation, maintenance, and troubleshooting. In addition, our technicians are available to answer any questions you may have regarding the product or its use. Our team is dedicated to providing quality products and

customer service, so you can rest assured that you are getting the best possible service.

Packing and Shipping:

Packaging and Shipping

PVC Interior Film is packaged and shipped in rolls or sheets depending on the customer's preferences. The rolls are wrapped with Kraft paper and tied with plastic sheet. All packages must be labeled with specific information, such as product name, size, number of pieces,

The shipping method depends on the customer's needs. The most commonly used shipping methods are air freight, sea freight, and express delivery. All packages must be inspected before shipment to ensure that they are in good condition. The customer should be notified of the estimated delivery date and any delays should be communicated in a timely manner.

Real Sun Foshan Realsun Decorative Material Co., Ltd.

+8613790066054

sale1@realsundeco.com



realsundeco.com

Room 706, Build 1, No 121 North of Lingnan Avenue, Foshan, China