

High Glossy Self Sticking Plastic Film Wood Effect Film 0.08mm-0.15mm

Our Product Introduction

for more products please visit us on realsundeco.com

Basic Information

- Place of Origin: Foshan, China
- Brand Name: Realsun Deco
- Minimum Order Quantity: 3000m/model
- Price: Negotiable
- Packaging Details: Pack in roll
- Delivery Time: 15-20 days
- Payment Terms: T/T 30% down payment, 70% balance before shipment
- Supply Ability: 500000m/month



Product Specification

- Liner Paper: 80gsm, 100gsm, 120gsm
- Surface: Glossy/Matte/Super Matte/Embossed/Soft Touch
- Durability: Excellent
- Design: Wood Grain, Marble, Brick, Stone, Plain Color Etc.
- Material: PVC
- Adhesive: Acrylic Pressure Sensitive Adhesive
- Thickness: 0.08mm-0.15mm
- Adhesive Strength: High
- Highlight: **Self Sticking Plastic Film 0.08mm,
Wood Effect Film 0.15mm**

Product Description

Glossy Self Adhesive PVC Film with Acrylic Pressure Sensitive Adhesive

Product Description:

Material:The self adhesive PVC film consists of polyvinylchloride, a synthetic plastic material renowned for its durability and versatility.

Adhesive Backing:A layer of pressure sensitive adhesive is affixed to the back of our PVC film and the accompanying liner paper. It is designed to bind securely to a wide range of surfaces including glass, metal, plastics and wood, to name a few. The liner paper is removed prior to application.

Thickness:The thickness of our self adhesive PVC film can be varied to suit different projects and durability goals.

Finish:The PVC film can be manufactured in several different finishes such as glossy, matte, satin or textured to fit your aesthetics.

Colors and Patterns: The PVC film is available with an extensive array of colors and patterns such as wood grain, marble, brick and many other unique designs.

Application:This PVC film is utilized for a broad range of jobs such as wall covering, furniture upholstery etc. It is also widely preferred among craftspeople and DIY enthusiasts for its convenience.

Technical Parameters:

When it comes to thickness, our product range starts from 0.1mm and goes up to 0.12mm. Additionally, we offer our customers two different widths: 1220mm and 600mm. As for length, it comes in two varieties: 50m/roll and 10m/roll.

Our products offer a wide range of designs, catered to different styles and preferences. From wood grain to solid colors, marble to brick, we have something for everyone. Similarly, there are various surface treatment options available - from matt and super matt, to embossed, high gloss and soft touch.

Also, we offer our customers OEM and ODM services - a chance to personalize their product and make it truly unique.

Applications:

Self-adhesive PVC film is a versatile material that can be used for various applications, including home improvement, crafts, signage, and more. For a successful application, here is a general guide on how to apply self-adhesive PVC film:

Materials you'll need:

Self-adhesive PVC film

A clean, smooth surface to apply the film to (e.g., furniture, walls, windows, or any other suitable surface)

A measuring tape or ruler

A sharp utility knife or scissors

A squeegee or a credit card

A clean cloth or sponge

A spray bottle with soapy water (optional)

Steps for application:

1. Prepare the surface: Ensure that the surface you plan to cover with self-adhesive PVC film is clean, dry, and smooth. Remove any dust, dirt, or imperfections. If the surface is dirty, clean it thoroughly and let it dry completely.
2. Measure and cut: Measure the dimensions of the surface you want to cover and add a few extra inches to each side to allow for trimming. Cut the self-adhesive PVC film to the desired size using a sharp utility knife or scissors. Be precise in your measurements and cutting to ensure a proper fit.
3. Peel off the backing: Carefully peel back a few inches of the backing paper from one end of the PVC film. Avoid touching the adhesive side to prevent fingerprints and dirt from sticking to it.
4. Apply the film: Begin applying the exposed adhesive side of the PVC film to the surface. Start at one corner or edge and align it with the surface. As you apply the film, gradually peel off more of the backing paper, smoothing the film onto the surface as you go. You can use a squeegee or a credit card to help remove any air bubbles and ensure a smooth, even application.
5. Smooth out bubbles: If you notice any air bubbles trapped under the film, use the squeegee or credit card to gently push them out towards the edges. Work from the center outward to expel the bubbles completely.
6. Trim excess: Once the film is applied smoothly, use a utility knife or scissors to trim any excess film along the edges. Be cautious when cutting to avoid damaging the surface underneath.
7. Finish and clean: After trimming, go over the entire surface with a clean cloth or sponge to ensure that the PVC film is securely adhered and free from any air bubbles or wrinkles. If you used soapy water during application, wipe away any excess water or soap residue.
8. Final inspection: Inspect the surface to ensure that the PVC film is securely in place and free from imperfections. If you encounter any issues, gently lift the film and reapply as needed.

Self-adhesive PVC film can be used for a wide range of purposes, so make sure to follow the specific instructions provided by the manufacturer if you have a unique application in mind. Proper surface preparation and careful installation are key to achieving a professional-looking result.

Customization:

Customized Service of Self Adhesive PVC Film

Brand Name: Realsun Deco

Place of Origin: Foshan, China

Minimum Order Quantity: 3000m/model

Price: Negotiable

Packaging Details: Pack in roll

Delivery Time: 15-20 days

Payment Terms: T/T 30% down payment, 70% balance before shipment

Supply Ability: 500000m/month

Waterproof: Yes
Durability: Excellent
Surface: Glossy/Matte/Super Matte/Embossed/Soft Touch
Liner Paper: 80gsm, 100gsm, 120gsm
Material: PVC
Keywords: Self adhesive decorative film, film self adhesive sheets, self adhesive wood grain vinyl film

Support and Services:

We provide technical support and service for Self Adhesive PVC Film. Our services include:

- Provide technical advice on product usage
- Help customers choose the right product
- Provide product installation guidance
- Provide product maintenance advice
- Provide repair and replacement services
- Answer customer inquiries about product usage

Packing and Shipping:

Self Adhesive PVC Film packaging and shipping are as follows:

- The film should be kept in a clean, dry and dust-free environment.
- The film should be kept in its original packaging until ready for use.
- When packing the film, it should be placed into a sealed, water-resistant container.
- When shipping, the film should be placed in a package that is designed to protect the film from shock, vibration, and other external forces.
- The film should not be exposed to extreme temperatures or humidity.
- The film should be properly labeled and marked for easy identification.
- All shipping containers should be clearly labeled with the contents and destination.

Realsun Foshan Realsun Decorative Material Co., Ltd.



+8613790066054



sale1@realsundeco.com



realsundeco.com

Room 706, Build 1, No 121 North of Lingnan Avenue, Foshan, China